

3mm Ultra thin 2835 Single Color Flex Led Strip

120LEDs/m



◆ Product Description:

- 3mm super narrow LED strip, is a slim, flexible, energy-efficient lighting solution, Ideal for compact spaces.
- Use 2835 high brightness led, high purity gold wire, SANAN chip
- Input voltage DC12V
- Flexible PCB, FPC color: white
- Standard length 5m per roll, the length also can be customized



◆ Product Datasheet

Product Number	S003120BB1LZ
Operating Voltage	DC12V
Power/m	4.8W
SMD Type	SMD 2835
LED Qty/m	120
Cutting Length	25mm / 3LED
SDCM	<5
Color	W:3000K/4000K/6500K
Luminance/m	W:505lm
Ra	≥ 90
Beam Angle	120°
Size (mm)	5000x3mm
IP Rate	IP20/IP64/IP65/IP67
Operation Temperature	- 25 ~ 60°C

Remarks:

- 1.The above parameters were tested according to integrating sphere TM-30-15.
- 2.The output data is based on IP20 and one merter.
- 3.The data such as power etc, ±15% tolerance is normal.
- 4.IP protection process causes changes in size, CCT and luminous flux.

◆ Related products:



Power supply
LRS-350-12




Alum profile
LL1813A




RF dimmer
D01


◆ Correct installation method:



Can be cut




Don't peel all 3M tape at once.




Bend(Right)

◆ Error installation method:



Bending diameter > 50mm




Distortion(Wrong)


◆ Product packaging



Reel



Antistatic bag



Note: The parameters are subject to change without notice!

A1.25-09-19